References list :

1- Meng, L., Qiu, H., Wan, L., Ai, Y., Xue, Z., Guo, Q., Deshpande, R., Zhang, L., Meng, J.,Tong, C., Liu, H. and Xiong, L., 2020. Intubation and Ventilation amid the COVID-19 Outbreak.

2- Pal, M., Berhanu, G., Desalegn, C. and Kandi, V., 2020. Severe Acute RespiratorySyndrome Coronavirus-2 (SARS-CoV-2): An Update. Cureus,.

3- Wax, R. and Christian, M., 2020. Practical recommendations for critical care and anesthesiology teams caring for novel coronavirus (2019-nCoV) patients. Canadian Journal of Anesthesia/Journal canadien d'anesthésie, 67(5), pp.568-576.

4- Longhini, F., Bruni, A., Garofalo, E., Navalesi, P., Grasselli, G., Cosentini, R., Foti, G., Mattei, A., Ippolito, M., Accurso, G., Vitale, F., Cortegiani, A. and Gregoretti, C., 2020. Helmet continuous positive airway pressure and prone positioning: A proposal for an early management of COVID-19 patients. Pulmonology, 26(4), pp.186-191.

5- Dhont, S., Derom, E., Van Braeckel, E., Depuydt, P. and Lambrecht, B., 2020. The pathophysiology of 'happy' hypoxemia in COVID-19. Respiratory Research, 21(1).

6- Alhazzani, W., Møller, M., Arabi, Y., Loeb, M., Gong, M., Fan, E., Oczkowski, S., Levy, M., Derde, L., Dzierba, A., Du, B., Aboodi, M., Wunsch, H., Cecconi, M., Koh, Y., Chertow, D., Maitland, K., Alshamsi, F., Belley-Cote, E., Greco, M., Laundy, M., Morgan, J., Kesecioglu, J., McGeer, A., Mermel, L., Mammen, M., Alexander, P., Arrington, A., Centofanti, J., Citerio, G., Baw, B., Memish, Z., Hammond, N., Hayden, F., Evans, L. and Rhodes, A., 2020. Surviving Sepsis Campaign: guidelines on the management of critically ill adults with Coronavirus Disease 2019 (COVID-19). Intensive Care Medicine, 46(5), pp.854-887.

7- Liu, Y., Yan, L., Wan, L., Xiang, T., Le, A., Liu, J., Peiris, M., Poon, L. and Zhang, W., 2021. Viral dynamics in mild and severe cases of COVID-19.

8- Papazian, L., Corley, A., Hess, D., Fraser, J., Frat, J., Guitton, C., Jaber, S., Maggiore, S., Nava, S., Rello, J., Ricard, J., Stephan, F., Trisolini, R. and Azoulay, E., 2016. Use of high-flow nasal cannula oxygenation in ICU adults: a narrative review.

9- GÜRÜN KAYA, A., ÖZ, M., EROL, S., ÇİFTÇİ, F., ÇİLEDAĞ, A. and KAYA, A., 2020. High flow nasal cannula in COVID-19: a literature review.

10- Rochwerg, B., Granton, D., Wang, D., Helviz, Y., Einav, S., Frat, J., Mekontso-Dessap, A., Schreiber, A., Azoulay, E., Mercat, A., Demoule, A., Lemiale, V., Pesenti, A., Riviello, E., Mauri, T., Mancebo, J., Brochard, L. and Burns, K., 2019. High flow nasal cannula compared with conventional oxygen therapy for acute hypoxemic respiratory failure: a systematic review and meta-analysis..

11- **Delbove, A., Foubert, A., Mateos, F., Guy, T. and Gousseff, M., 2021. High flow nasal cannula oxygenation in COVID-19 related acute respiratory distress syndrome: a safe way to avoid endotracheal intubation?.** ***Therapeutic Advances in Respiratory Disease*****, 15, p.175346662110195.**

12- **M, C., M, R., A, A., SC, D. and R, D., 2021. *Features, Evaluation, and Treatment of Coronavirus* (*COVID-19*). [online] PubMed. Available at: <https://pubmed.ncbi.nlm.nih.gov/32150360/> [Accessed 18 June 2021].**
13- **Wang, K., Zhao, W., Li, J., Shu, W. and Duan, J., 2020. The experience of high-flow nasal cannula in hospitalized patients with 2019 novel coronavirus-infected pneumonia in two hospitals of Chongqing, China. *Annals of Intensive Care*, 10(1).**
14- Hu, M., Zhou, Q., Zheng, R., Li, X., Ling, J., Chen, Y., Jia, J. and Xie, C., 2021. Application of high-flow nasal cannula in hypoxemic patients with COVID-19: a retrospective cohort study.
15- Calligaro, G., Lalla, U., Audley, G., Gina, P., Miller, M., Mendelson, M., Dlamini, S.,Wasserman, S., Meintjes, G., Peter, J., Levin, D., Dave, J., Ntusi, N., Meier, S., Little, F., Moodley, D., Louw, E., Nortje, A., Parker, A., Taljaard, J., Allwood, B., Dheda, K. and Koegelenberg, C., 2020. The utility of high-flow nasal oxygen for severe COVID-19 pneumonia in a resource-constrained setting: A multi-centre prospective observational study. EClinicalMedicine, 28, p.100570.
16- Demoule, A., Vieillard Baron, A., Darmon, M., Beurton, A., Géri, G., Voiriot, G., Dupont, T., Zafrani, L., Girodias, L., Labbé, V., Dres, M., Fartoukh, M. and Azoulay, E., 2020. High-Flow Nasal Cannula in Critically Ill Patients with Severe COVID-19. American Journal of Respiratory and Critical Care Medicine, 202(7), pp.1039-1042.
17- AlAhmari, M., Al-Otaibi, H., Qutub, H., AlBalawi, I., Alqahtani, A. and Almasoudi, B., 2018. Noninvasive ventilation utilization in the Kingdom of Saudi Arabia: Results of a national survey. Annals of Thoracic Medicine, 13(4), p.237.
18- **Singh, A., Khanna, P. and Sarkar, S., 2021. High-Flow Nasal Cannula, a Boon or a Bane for COVID-19 Patients? An Evidence-Based Review. *Current Anesthesiology Reports*,.**
19- **Sharma, S., Danckers, M., Sanghavi, D. and Chakraborty, R., 2021. *High Flow Nasal Cannula*. [online] Ncbi.nlm.nih.gov. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK526071/> [Accessed 18 June 2021].**